


TEMPORARY ROCK SWALE PLAN



Reach No.			
From Station			
To Station			
Grade, %			
Drainage Area, Ac			
Construction Layout Data			
Top Width, Ft.			
Bottom Width			
Side Slope			
Depth, Ft.			
Stabilization Material			

NOTES:

1. All trees, stumps, brush and debris shall be removed from the construction area and disposed of properly.
2. Riprap shall meet IDOT gradation RR-3 Quality Designation A or B. Aggregate shall meet IDOT coarse aggregate gradations CA-2 or CA-3. Rock shall be placed according to construction specification 25 ROCKFILL using placement Method 1 and Class III compaction.
3. Filter fabric shall meet the requirements of material specification 592 592 GEOTEXTILE, Table 1 or 2, Class I, II, or IV and shall be placed over the area prior to the placing of rock.
4. Spoil material from construction will be deposited in low areas or otherwise spread so as not to interfere with flow of water into the swale. Any earth fill shall be compacted to prevent differential settlement in the completed swale. The swale will be constructed to the specified grade, width and depth.

REFERENCE
 Project _____
 Designed _____ Date _____
 Checked _____ Date _____
 Approved _____ Date _____



Natural Resources Conservation Service

NRCS

STANDARD DWG. NO.

IL-680R

SHEET 1 OF 1

DATE 11-21-01